

CENTRAL INTELLIGENCE AGENCY
WASHINGTON, D.C. 20505

18 APR 1983

Smith, Hinchman & Grylls Associates, Inc.
455 West Fort Street
Detroit, Michigan 48226

Attention: Mr. Wm. Everett Medling

Gentlemen:

Enclosed are the minimum security requirements for the construction phase of the project. The two security trailers referenced under item 4 will be provided by the Government.

Sincerely,

Building Planning Staff
Office of Logistics

Enclosure

ROUTING AND RECORD SHEET

SUBJECT: (Optional)

Site Security Requirements During New
Building Construction

FROM:

C/OBS/PTAS

EXTENSION

NO.

DATE

5 April 1983

TO: (Officer designation, room number, and building)

DATE


RECEIVED

FORWARDED

OFFICER'S
INITIALS

COMMENTS (Number each comment to show from whom to whom. Draw a line across column after each comment.)

1. C/BPS/OL
4E-50, Hqs.

~~ADMINISTRATIVE-INTERNAL USE ONLY~~

5 April 1983

MEMORANDUM FOR: Chief, Building Planning Staff
Office of Logistics

STAT FROM:
Chief of Operations (PTAS)

SUBJECT: Site Security Requirements During New
Building Construction.

The following security requirements have been established by the Security Construction Coordinating Committee for inclusion in the total construction package to be presented for bid by general contractors:

1. Perimeter Fence

a. Minimum 8'-0" high solid barrier type screen to encompass approximately one-half of the site adjacent to the existing building. The side facing the existing building is to be forest green in color.

b. Remainder of the construction site is to be enclosed in a minimum 5'-0" high fence.

c. All gates, whether personnel or vehicular, are to be constructed of materials commensurate with the fencing at their installation location.

d. The contractor will be responsible for maintaining the integrity of the site perimeter fence and will make immediate repairs on any unauthorized break that occurs.

2. Construction Site Lighting

a. Minimum of 1 ft-candle throughout the construction area including structures.

3. All contractor personnel must be US citizens. In addition, all personnel will be requested to complete a one (1) page Personal History Statement, be photographed and badged and attend a 15-minute site security/safety briefing when initially reporting for work at the site.

~~ADMINISTRATIVE-INTERNAL USE ONLY~~

~~ADMINISTRATIVE - INTERNAL USE ONLY~~

4. The contractor will be required to make utility hook-ups to two (2) site security trailers. These hook-ups include electrical, water, and sewer.

5. Other requirements may be identified as planning goes forward on the new building initiative.

STAT

Distribution:

Orig - addressee

1 - file

1 - chrono

1 - NBPS/OS

OS/PTAS/CMcS/pss(5Apr83)

~~ADMINISTRATIVE - INTERNAL USE ONLY~~